Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	32059	("363").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 11:56
S2	149	(363/21.15).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 11:56
S3	202	(363/21.16).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 11:58
S4	232	(363/21.18).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 11:58
S5	124	(363/56.1).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 11:58
S6	171	(363/56.11).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 12:01
<b>S7</b>	147	S2 and transformer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:01

S8	141	S7 and primary	US-PGPUB; USPAT;	OR	ON	2007/01/23 12:01
		·	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S9	138	S8 and secondary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/23 12:02
S10	` 133	S9 and current and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:03
S11	127	S10 and transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:03
S12	125	S11 and switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:04
S13	98	S12 and pulse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:05
S14	9	S13 and (memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/23 12:09

S15	24	S13 and (flip adj flop)	US-PGPUB;	OR	ON	2007/01/22 12:10
313	24	313 and (inp adj nop)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OK .	ON	2007/01/23 12:10
			IBM_TDB	·		
S16	62	S13 and (logic or gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:44
S17	39	S13 and (integrated adj circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:40
S18	46	S13 and (current adj (limit\$5 or control\$3 or regulat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:08
S19		S18 and (threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:42
S20		S18 and S15 and S16 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:09
S21	14	S16 and S15 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:50

		60 116	110 505:15			2007/04/22 12 5:
S22	200	S3 and transformer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:51
S23,	104	S3 and transformer and transistor and switch and mode and pulse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:51
S24	3	S23 and (flip adj flop) and (logic adj gate) and (feedback or (feed adj back))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:52
S25	3	S23 and (flip adj flop) and (logic adj gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:53
S26	82	S23 and (feedback or (feed adj back))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:53
S27	31	S26 and integrated adj circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:55
S28	18	S26 and (flip and flop) and logic and gate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:55

S29	42	S26 and threshold	US-PGPUB;	OR	ON	2007/01/23 15:59
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S30	42	S26 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:29
S31	50	S23 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:00
S32	83	S4 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:29
S33	64	S32 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:30
S34	68	S5 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:52
S35		S34 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/23 16:53

		· · · · · · · · · · · · · · · · · · ·				
S36	56	S6 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:20
S37	39	S36 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/23 17:21
S38	69	(363/21.05).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 17:19
S39	137	(363/21.07).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 17:19
S40	138	(363/21.08).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 17:19
S41	93	(363/21.09).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 17:20
S42	185	(363/21.1).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 17:20

C42	00	(262/21 11) CCLS	LIC DCDUB	OD	OFF	2007/04/22 47 22
S43	86	(363/21.11).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 17:20
S44	24	S38 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/23 17:28
S45	23	S44 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:28
S46	48	S39 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:34
S47	30	S46 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:34
S48	52	S40 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:44
S49	37	S48 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:44

		,	1			
S50	49	S41 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:50
S51	33	S50 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/23 17:50
S52	70	S42 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:50
S53	50	S52 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:50
S54	35	S43 and current adj (limit\$5 or regulat\$4 or maximum or minimum or signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:50
S55	34	S54 and (logic or gate or flip or flop or (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/23 17:51
S56	20	S53 and thresh\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:52

		·		,		
S57	<b>7</b>	"6385061"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:05
S58	2	"6324082"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:05
S59	14	"5703764"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:06
S60	4	"0525652"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:06
S61	4	"0525652"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 07:29
S62	964	band adj gap adj reference adj circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 11:31
S63	479	S62 and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON ,	2007/01/25 11:31

S64	306	S63 and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 11:31
S65	283	S64 and power and supply	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 11:32
S66	197	S65 and feedback	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 11:32
S67	197	S66 and current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 11:33
S68	86	S66 and current adj (limit\$3 or restrict\$3 or regulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:53
S69	964	band adj gap adj reference adj circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:53
S70	479	S69 and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:53

S71	306	S70 and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:53
S72	283	S71 and power and supply	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:53
S73	197	S72 and feedback	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/25 15:53
S74	· 86	S73 and current adj (limit\$3 or restrict\$3 or regulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:53
S75	59	S74 and memory and (flip adj flop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:54